

FIG. 1
(PRIOR ART)






FIG. 2



002260 60/29960

FIG. 3a




[illegible]

Fig. 3c




FIG. 4a




FIG. 4b




FIG. 5




FIG. 6

~300

SimpleSim Options

Message Marker ~310

Send Message Marker ☒ ~320

End Message Marker ~330

Send End Message Marker ☒ ~340

Response File ~350

D:\Apwg\1VB5\1wizgen\SimpleWiz\SocketSimpleSim\responses.txt

~360

Change Response File ~370

Cancel ~380

OK

0055709-092200

FIG. 7

~400

SimpleSim

Options Monitor

Socket Communications

Host nj0117pgillis.wh.lucnet.com

Port 2300

Status

Listening

Received Sent 0

Start Sim Stop Sim Quit

☒ TLI Server

~440

~410

~420

~430

00557709-092200

F16.8

~500

```
Communications Monitor On Host nj0117pgillis.wh.lucnet.com Socket 2300
m1:
This is the only response to m1.
m1:
This is the only response to m1.
m2:
This is the 1st response to m2.
m2:
This is the 2nd response to m2.
m2:
this is the 3rd response to m2.
This has more than one line.
m2:
This is the 1st response to m2.
This is an Autonomous message that is sent every 10,000 milliseconds (ie, every 10 seconds).
:
This is an Autonomous message that is sent every 10,000 milliseconds (ie, every 10 seconds).
:
This is an Autonomous message sent after 25,000 milliseconds (ie, 25 seconds).
:
```